(FILE 'HOME' ENTERED AT 11:48:25 ON 17 DEC 2002)

	TILE 'MEDLINE, BIOSIS, CAPLUS' ENTERED AT 11:48:34 ON 17 D	DEC 2002
L1	3494245 S NUCLEIC OR PROBE OR OLIGO? OR DNA OR RNA OR M	1RNA
L2	351466 S IMMOBILIZ? OR ARRAY OR MICROARRAY OR BIOCHIP	
L3	104124 S CARBOXYL	
L4	303 S L1 (P) L2 (P) L3	
L5	159 DUP REM L4 (144 DUPLICATES REMOVED)	
Lб	13 S L5 AND (WATER OR AQUEOUS)	

=>

Hits	Search Text		
	1		Time stamp
1	whicenant of me an his	-	2002/12/17 10:34
1	/whisenant-es.xp.	USPAT	2002/12/17 10:35
1 101	(armore an binability or whisenant-e\$.xp.) and	USPAT	2002/12/17 10:35
	(array or blochip or microarray)		
	(hydophobic)	USPAT	2002/12/17 10:35
56	(whisenant-e\$.xa. or whisenant-e\$.xp.) and	USPAT	2002/12/17 10:42
	(nydrophobic)	JOHN	2002/12/1/ 10:42
0	wo9841531	DEDMENT	2002/12/17 10 10
1	"9841531"	3	2002/12/17 10:42
1	1999-023988.NRAN.		2002/12/17 10:42
310393	array or microarry or biochin		2002/12/17 10:44
1	1 metrouzzy oz brochip		2002/12/17 10:45
567041	negative or hydrophobic or hydrophilia		1
	magazita of mydrobuopic of mydrobullic	,	2002/12/17 10:45
ا و	(larray or microarry or biochie)		
	carboxyl) same maloimide	,	2002/12/17 10:46
140	(array or migrosymum on his abi		
140	carbonal		2002/12/17 11:39
68271			
""	or "alkalina salah" and and salah " or EPPS	USPAT;	2002/12/17 11:40
,	or "hydrogen sulfate"	US-PGPUB	
+	cysteine or "sodium dodecyl sulfate" or	USPAT;	2002/12/17 11:40
	EPPS or "alkaline solution" or "hydrogen	US-PGPUB	, ==, == === == ==
	sullate") same (array or microarry or		
	blochip) same negative		
205	(cysteine or "sodium dodecyl sulfate" or	USPAT:	2002/12/17 11:42
	EPPS or "alkaline solution" or "hydrogen		2002/12/1/ 11:42
	sulfate") same (array or microarry or	0. 0.	
	biochip)		
33	(cysteine or "sodium dodecyl sulfate" or	HCDAT.	2002/12/17 11 15
	EPPS or "alkaline solution" or "hydrogen		2002/12/17 11:42
	sulfate") near8 (array or microarry or	02-1G10R	
	biochip)		
	166 321 101 0 56 0 1 310393 567041 9 149 68271 1	whisenant-e\$.xa.xp. whisenant-e\$.xa. or whisenant-e\$.xp. (whisenant-e\$.xa. or whisenant-e\$.xp.) and (array or biochip or microarray) (whisenant-e\$.xa. or whisenant-e\$.xp.) and (hydophobic) (whisenant-e\$.xa. or whisenant-e\$.xp.) and (hydrophobic) (whisenant-e\$.xa. or whisenant-e\$.xp.) and (hydrophobic) wo9841531 1 "9841531" 1 1999-023988.NRAN. array or microarry or biochip 567041 negative or hydrophobic or hydrophilic ((array or microarry or biochip) same carboxyl) same maleimide (array or microarry or biochip) same carboxyl cysteine or "sodium dodecyl sulfate" or EPPS or "alkaline solution" or "hydrogen sulfate" (cysteine or "sodium dodecyl sulfate" or EPPS or "alkaline solution" or "hydrogen sulfate") same (array or microarry or biochip) same negative (cysteine or "sodium dodecyl sulfate" or EPPS or "alkaline solution" or "hydrogen sulfate") same (array or microarry or biochip) 33 (cysteine or "sodium dodecyl sulfate" or EPPS or "alkaline solution" or "hydrogen sulfate") same (array or microarry or biochip) (cysteine or "sodium dodecyl sulfate" or EPPS or "alkaline solution" or "hydrogen sulfate") near8 (array or microarry or	166 whisenant-e\$.xa.xp. 321 whisenant-e\$.xa. or whisenant-e\$.xp. (whisenant-e\$.xa. or whisenant-e\$.xp.) and (array or biochip or microarray) 0 (whisenant-e\$.xa. or whisenant-e\$.xp.) and (hydophobic) (soft of the content of the co

ANSWER 8 OF 13 CAPLUS COPYRIGHT 2002 ACS

ACCESSION NUMBER: DOCUMENT NUMBER:

2000:260506 CAPLUS

1.6

132:289570

TITLE:

Substrate to be used for immobilization of DNA for the

preparation of DNA chips

INVENTOR(S):

Tanga, Michifumi; Takahashi, Kojiro

Toyo Kohan Co., Ltd., Japan PATENT ASSIGNEE(S):

SOURCE:

PCT Int. Appl., 17 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

Japanese

6

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

```
PATENT NO.
                      KIND DATE
                                             APPLICATION NO. DATE
      -----
                          ----
                                  -----
                                                    -----
      WO 2000022108 Al 20000420 WO 1999-JP5712 19991015
          W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK,
                SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
           RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
                DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
                CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                      A1 20000501 AU 1999-61238
A1 20010808 EP 1999-947929
      AU 9961238
                                                                          19991015
      EP 1122309
                                                                          19991015
           R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
                IE, SI, LT, LV, FI, RO
PRIORITY APPLN. INFO.:
                                                 JP 1998-293480 A 19981015
                                                 WO 1999-JP5712 W 19991015
```

AB Provided are substrates for immobilizing DNAs to present DNA libraries, which substrates are usable in replicating DNAs by DNA amplification reactions on chips. The substrates are selected from diamond contg. non-diamond carbon, amorphous carbon, plastic carbon, and graphite. Further, the surface or the substrates is modified by bonding with terminal hydroxyl groups or carboxyl groups. The carboxyl groups are bonded to the surface via ester or peptidyl linkage. The substrates improve the accuracy of temp. control and thus reduce the DNA contamination. In case of contamination, the surface of the substrates can be treated by hydrolysis reactions for recycling. Prepn. of a diamond disk contg. non-diamond C in gaseous phase by the microwave plasma CVD method, treatment of the disk with the microwave-excited oxygen plasma, and substitution with water vapor to obtain hydroxyl groups on the surface were described.

REFERENCE COUNT:

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT